



## GSM/UMTS ANTENNA

Antenna GSM/UMTS Magnetic  
90, Quad-band, 9 dBi, SMA(m),  
RG58/5m

AO-AGSM-MG9S5

SECTRON company offers a wide portfolio of GSM/UMTS antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.


### BENEFITS







- Low VSWR
- High gain
- Easy installation



Technology	GSM/UMTS
Frequency bands	900/1800/2100 MHz
Bandwidth	-
Gain	9 dBi
VSWR	<1.8:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H-360°,V-30°
Polarization	Vertical
Maximum input power	10 W
Power voltage	-
Dimensions	∅ 70 x 453.3 mm
Weight	347.23 g
Operating temperature	-30 to +90 °C
Execution	External
Method of attachment	Magnetic
Cable type	RG58/U
The cable length	5 m
Connector type	SMA(m)

DRAWING



**H-plane****900 MHz****E-plane****H-plane****1 800 MHz****E-plane****H-plane****2 100 MHz****E-plane**

Different connector variants or cable lengths are available on request.