



## GSM/UMTS ANTENNA

### Antenna GSM Ceiling Mount R3, 3 dBi, N(f), RG58U/30cm

AO-AGSM-R3N

SECTRON company offers a wide portfolio of GSM/UMTS antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.




#### BENEFITS

- Low VSWR
- Suitable for indoor using
- Low profile
- Perfect performance
- Ceiling mount

Technology	GSM/UMTS
Frequency bands	800/900/1700/1800/2400/2500 MHz
Bandwidth	-
Gain	3 dBi
VSWR	<1.5:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	Linear
Maximum input power	10 W
Power voltage	-
Dimensions	165 x 94(128) mm
Weight	161.04 g
Operating temperature	-30 to +90 °C
Execution	Internal
Method of attachment	Ceiling Mount
Cable type	RG58/U
The cable length	30 cm
Connector type	N(F)

## DRAWING



UNITS: mm

Different connector variants or cable lengths are available on request.

## CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12  
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ  
Tel.: +420 556 621 020