



GSM ANTENNA

Antenna GSM Connector Mount MINI SMVS,
180°, 2 dBi, SMA (m)

AO-AGSM-SMVS1

SECTRON company offers a wide portfolio of GSM antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.




BENEFITS

- Low VSWR
- Minimalist dimensions


Technology	GSM
Frequency bands	900 MHz
Bandwidth	-
Gain	2 dBi
VSWR	<1.3:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	Linear
Maximum input power	10 W
Power voltage	-
Dimensions	17.8 x Ø 9.1 mm
Weight	2.78 g
Operating temperature	-30 to +90 °C
Execution	External
Method of attachment	Connector Mount
Cable type	-
The cable length	-
Connector type	SMA (m)
Certification	ISO 9001/ISO 14001

DRAWING



VSWR
AO-AGSM-SMVS1

VSWR



Date: 2019/02/26
Time: 14:02

Frequency(600 - 3000 MHz)
Resolution: 521
Cal: ON

IIM: OFF
Keysight
SN: CN0132000230

VARIANTS

Different connector variants or cable lengths are available on request.

CONTACTSFEATURES

SECTRON s.r.o. Josefa Šavla 1271/12
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ
Tel.: +420 556 621 020