



GSM/UMTS ANTENNA

Antenna GSM/UMTS Stick 90/180,
Penta-band, 2 dBi, SMA(m)

AO-AGSM-TG09

SECTRON company offers a wide portfolio of GSM/UMTS antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.





BENEFITS



- Low VSWR
- Adjustable angle
- No cable required


Technology	GSM/UMTS/LTE
Frequency bands	800/900/1800/1900/2100 MHz
Bandwidth	-
Gain	2 dBi
VSWR	<2.0:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H-360°,V-30°
Polarization	Linear
Maximum input power	10W
Power voltage	-
Dimensions	90°: 50 x 30 x 10; 180°: Ø 10 x 71.5 mm
Weight	8.48 g
Operating temperature	-20 to +60 °C
Execution	External
Method of attachment	Stick/Screw
Cable type	-
The cable length	-
Connector type	SMA(m)

DRAWING



UNIT: mm





CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ
Tel.: +420 556 621 021