



GSM/GPS ANTENNA

Antenna GSM/GPS Adhesive PUK,
FME(f)/SMB(f), 2 x RG174/3m

AO-AKOM-30FB

SECTRON company offers a wide portfolio of GSM/GPS antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.




BENEFITS

- Anti-vandal design
- Low VSWR
- Easy installation

Technology	GSM/GPS
Frequency bands	900/1800/2100/1575.25 MHz
Bandwidth	-
Gain	0/30 dBi
VSWR	<2.0:1/ <1.8:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	Linear/R.H.C.P.
Maximum input power	10 W
Power voltage	-
Dimensions	Ø50.4 x 17 mm
Weight	114.28 g
Operating temperature	-30 to +90 °C
Execution	External
Method of attachment	Adhesive
Cable type	2 x RG174/U
The cable length	2 x 3 m
Connector type	FME(f)/SMB(f)

DRAWING



Different connector variants or cable lengths are available on request.

CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ
Tel.: +420 556 621 021