



GSM/UMTS/LTE/GPS/GLONASS ANTENNA

Antenna GSM/UMTS/LTE/GPS/GLONASS
Mounting PUCK,
2x RG316/3m, 2x SMA(m)

AO-AKOM-36XSS

SECTRON company offers a wide portfolio of GSM/UMTS/LTE/GPS/GLONASS antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.




BENEFITS

- Anti-vandal design
- Environmental resistance
- High frequency range

Technology	GSM/UMTS/LTE/GPS/GLONASS
Frequency bands	800/900/1700/1800/2100/2400/2600/1575.42/1602 MHz
Bandwidth	-
Gain	2/30 dBi
VSWR	<2.0:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	Linear
Maximum input power	10 W
Power voltage	-
Dimensions	∅ 54.4 x 28.7 mm
Weight	157.36 g
Operating temperature	-30 to +90 °C
Execution	External
Method of attachment	Mounting
Cable type	2 x RG316/U
The cable length	2 x 3 m
Connector type	2 x SMA(m)
Certification	ISO 9001/ISO 14001
IP code	IP67

DRAWING



Different connector variants or cable lengths are available on request.