



GSM/UTMETS/LTE ANTENNA

Antenna GSM/UMTS/LTE Magnetic
016, 2 dBi, MCX(m) 90°, RG174/3m

AO-ALTE-G016LMRA

SECTRON company offers a wide portfolio of GSM/UMTS/LTE antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.


BENEFITS

- Low VSWR
- Easy installation
- Omnidirectional - suitable for moving devices





| | |
|-----------------------|-------------------------------------|
| Technology | GSM/UMTS/LTE |
| Frequency bands | 700/800/868/1800/1900/2100/2600 MHz |
| Bandwidth | - |
| Gain | 2 dBi |
| VSWR | <2.0:1 |
| Impedance | 50 Ohm |
| Directivity | Omnidirectional |
| Beam angle | H 360° V 30° |
| Polarization | Linear |
| Maximum input power | 10 W |
| Power voltage | - |
| Dimensions | ∅ 29.4 X 121 mm |
| Weight | 47.46 g |
| Operating temperature | -40 to +85 °C |
| Execution | External |
| Method of attachment | Magnetic |
| Cable type | RG174/U |
| The cable length | 3 m |
| Connector type | MCX(m)90° |

DRAWING



Units: mm



CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ
Tel.: +420 556 621 020