



LTE ANTENNA


Antenna LTE Magnetic 825-1,
5 dBi, SMA(m), RG58/3m

AO-ALTE-G825-1S

SECTRON company offers a wide portfolio of LTE antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.


BENEFITS

- Low VSWR
- Easy installation
- High frequency range





Technology	GSM/UMTS/LTE
Frequency bands	700/800/900/1700/1800/1900/2100/2600 MHz
Bandwidth	-
Profit	5 dBi
VSWR	<2.0:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H-360°, V-30°
Polarization	Linear
Maximum input power	10 W max.
Power voltage	-
Dimensions	460 x \varnothing 65 mm
Weight	301.04 g
Operating temperature	-40 až +85 °C
Execution	External
Method of attachment	Magnetic
Cable type	RG58/U
The cable length	3 m
Connector type	SMA(m)

DRAWING



UNIT: mm



ALL VARIANTS

AO-ALTE-G825-1S

Different connector variants or cable lengths are available on request.

CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ
Tel.: +420 556 621 021