



GSM ANTENNA

Antenna GSM Magnetic 3 dBi,
MCX(m)90°, RG174/5m

AO-AUMTS-G821M

SECTRON company offers a wide portfolio of GSM antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.





BENEFITS

- Low VSWR
- Easy installation
- Flexible

Technology	GSM
Frequency bands	900/1800/2100 MHz
Bandwidth	-
Gain	3 dBi
VSWR	<2.5:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	Linear
Maximum input power	10 W
Power voltage	-
Dimensions	∅ 29.4 x 223 mm
Weight	-
Operating temperature	-40 to +85 °C
Execution	External
Method of attachment	Magnetic
Cable type	RG174
The cable length	5 m
Connector type	MCX(m)90°

DRAWING





ALL VARIANTS

A0-AUMTS-G821M

Different connector variants or cable lengths are available on request.

CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ
Tel.: +420 556 621 021