




GPS/GLONASS ANTENNA

Internal GNSS(GPS/GLONASS)
passive patch antenna,
adhesive, with pin, 25x25x4

AP-AGNSS-GP25-4

SECTRON company offers a wide portfolio of GPS/GLONASS antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.




BENEFITS

- Low VSWR
- Passive antenna
- Suitable for moving devices

Technology	GPS/GLONASS
Frequency bands	1575.42/1602 MHz
Bandwidth	26 MHz
Gain	-2.5/-1.5 dBi
VSWR	<1.5:1
Impedance	50 Ohm
Directivity	Directional
Beam angle	H 360° V 30°
Polarization	R.H.C.P.
Maximum input power	10 W
Power voltage	-
Dimensions	25 x 25 x 4 mm
Weight	9.39 g
Operating temperature	-40 to +105 °C
Execution	Internal
Method of attachment	Patch panel
Cable type	-
The cable length	-
Connector type	-

DRAWING



Different connector variants or cable lengths are available on request.

CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ
Tel.: +420 556 621 021