



## WIFI ANTENNA

Antenna WiFi Mount R36,  
2.4/5.8 GHz, 2/3 dBi,  
RG58/5m, SMA-RP(pin f)

AW-A2458G-36SR5

SECTRON company offers a wide portfolio of WiFi antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees compatible connection between an antenna and all antenna adaptors produced by SECTRON.



### BENEFITS


- Low VSWR
- Anti-vandal design

## FEATURES


AW-A2458G-36SR5

Technology	Wi-Fi
Frequency bands	2400/5800 MHz
Bandwidth	-
Gain	2/3 dBi
VSWR	<2.0:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	Linear
Maximum input power	10 W
Power voltage	-
Dimensions	Ø 54.4 x 28.7 mm
Weight	260.37 g
Operating temperature	-30 to +80 °C
Execution	External
Method of attachment	Mounting
Cable type	RG58/U
The cable length	5 m
Connector type	SMA-RP (pin f)
IP Code	IP67
Certification	ISO 9001, ISO 14001

## DRAWING



## $S_{11}$ [dB] – Return loss



### ALL VARIANTS

Different connector variants or cable lengths are available on request.

### CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12  
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ  
Tel.: +420 556 621 021